

January 11, 2024

John Cable Triangle 17855 Elk Prairie Drive P.O. Box 1026 Rolla, MO 65402

TEL: (573) 364-1864 FAX: (573) 364-4782



Illinois 100226 Kansas E-10374 Louisiana 05002 Louisiana 05003 Oklahoma 9978

WorkOrder: 23122009

Dear John Cable:

RE: RPS-RTI

TEKLAB, INC received 68 samples on 12/27/2023 2:30:00 PM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Marvin L. Darling

Project Manager

(618)344-1004 ex 41

mdarling@teklabinc.com

Mowin L. Darling I



Report Contents

http://www.teklabinc.com/

Client: Triangle Work Order: 23122009
Client Project: RPS-RTI Report Date: 11-Jan-24

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Quality Control Results	9
Receiving Check List	14
Chain of Custody	Appended



Definitions

http://www.teklabinc.com/

Client: Triangle Work Order: 23122009
Client Project: RPS-RTI Report Date: 11-Jan-24

Abbr Definition

- * Analytes on report marked with an asterisk are not NELAP accredited
- CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
- CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.
 - DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.
 - DNI Did not ignite
- DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.
- ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
- IDPH IL Dept. of Public Health
- LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.
- LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
- MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."
- MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
- MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MW Molecular weight
- NC Data is not acceptable for compliance purposes
- ND Not Detected at the Reporting Limit
- NELAP NELAP Accredited
 - PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.
 - RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
 - RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
 - SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
 - Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
 - TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"
- TNTC Too numerous to count (> 200 CFU)



Definitions

http://www.teklabinc.com/

Client: Triangle Work Order: 23122009
Client Project: RPS-RTI Report Date: 11-Jan-24

Qualifiers

- # Unknown hydrocarbon
- C RL shown is a Client Requested Quantitation Limit
- H Holding times exceeded
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
 - S Spike Recovery outside recovery limits
 - X Value exceeds Maximum Contaminant Level

- B Analyte detected in associated Method Blank
- E Value above quantitation range
- I Associated internal standard was outside method criteria
- M Manual Integration used to determine area response
- R RPD outside accepted recovery limits
- T TIC(Tentatively identified compound)



Case Narrative

http://www.teklabinc.com/

Work Order: 23122009

Report Date: 11-Jan-24

Client Project: RPS-RTI

Client: Triangle

Cooler Receipt Temp: NA °C

Locations

	Collinsville		Springfield	Kansas City				
Address	5445 Horseshoe Lake Road	Address	3920 Pintail Dr	Address	8421 Nieman Road			
	Collinsville, IL 62234-7425		Springfield, IL 62711-9415		Lenexa, KS 66214			
Phone	(618) 344-1004	Phone	(217) 698-1004	Phone	(913) 541-1998			
Fax	(618) 344-1005	Fax	(217) 698-1005	Fax	(913) 541-1998			
Email	jhriley@teklabinc.com	Email	KKlostermann@teklabinc.com	Email	jhriley@teklabinc.com			
	Collinsville Air		Chicago					
Address	5445 Horseshoe Lake Road	Address	1319 Butterfield Rd.					
	Collinsville, IL 62234-7425		Downers Grove, IL 60515					
Phone	(618) 344-1004	Phone	(630) 324-6855					
Fax	(618) 344-1005	Fax						
Email	EHurley@teklabinc.com	Email	arenner@teklabinc.com					



Accreditations

http://www.teklabinc.com/

Client: Triangle Work Order: 23122009

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2025	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2024	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2024	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2024	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2024	Collinsville
Arkansas	ADEQ	88-0966		3/14/2024	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2024	Collinsville
Missouri	MDNR	00930		5/31/2023	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



Laboratory Results

http://www.teklabinc.com/

Client: Triangle Work Order: 23122009

Client Project: RPS-RTI Report Date: 11-Jan-24

Matrix: DRINKING WATER

	Client Sample ID	Certification	Qual RL	Result	Units	DF	Date Analyzed Date Collected					
-	200.8 R5.4, META						y					
Lead	200.0 N3.4, MILTA	LO DI IOI MO (IOTAL)									
23122009-001A	31-A	NELAP	0.0010	0.0310	mg/L	5	01/08/2024 14:56	12/22/2023 12:00				
23122009-002A	31-B	NELAP	0.0010	0.0016	mg/L	1	01/08/2024 7:34	12/22/2023 12:00				
23122009-003A	32-A	NELAP	0.0010	0.0076	mg/L	1	01/08/2024 7:38	12/22/2023 12:00				
23122009-004A	32-B	NELAP	0.0010	0.0011	mg/L	1	01/08/2024 8:03	12/22/2023 12:00				
23122009-005A	33-A	NELAP	0.0010	0.0045	mg/L	1	01/08/2024 7:42	12/22/2023 12:00				
23122009-006A	33-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 7:46	12/22/2023 12:00				
23122009-007A	34-A	NELAP	0.0010	0.0058	mg/L	1	01/08/2024 7:50	12/22/2023 12:00				
23122009-008A	34-B	NELAP	0.0010	0.0011	mg/L	1	01/08/2024 7:54	12/22/2023 12:00				
23122009-009A	35-A	NELAP	0.0010	0.0023	mg/L	1	01/08/2024 7:59	12/22/2023 12:00				
23122009-010A	35-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 8:27	12/22/2023 12:00				
23122009-011A	36-A	NELAP	0.0010	0.0036	mg/L	5	01/08/2024 15:00	12/22/2023 12:00				
23122009-012A	36-B	NELAP	0.0010	0.0011	mg/L	1	01/08/2024 8:56	12/22/2023 12:00				
23122009-013A	37-A	NELAP	0.0010	0.0057	mg/L	5	01/08/2024 15:04	12/22/2023 12:00				
23122009-014A	37-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 8:32	12/22/2023 12:00				
23122009-015A	38-A	NELAP	0.0010	0.0156	mg/L	5	01/08/2024 15:09	12/22/2023 12:00				
23122009-016A	38-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 16:47	12/22/2023 12:00				
23122009-017A	39-A	NELAP	0.0010	0.0018	mg/L	1	01/08/2024 16:50	12/22/2023 12:00				
23122009-018A	39-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 16:54	12/22/2023 12:00				
23122009-019A	40-A	NELAP	0.0010	0.0026	mg/L	1	01/08/2024 16:58	12/22/2023 12:00				
23122009-020A	40-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 17:01	12/22/2023 12:00				
23122009-021A	41-A	NELAP	0.0010	0.0064	mg/L	1	01/08/2024 17:23	12/22/2023 12:00				
23122009-022A	41-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 17:27	12/22/2023 12:00				
23122009-023A	42-A	NELAP	0.0010	0.0018	mg/L	1	01/08/2024 17:31	12/22/2023 12:00				
23122009-024A	42-B	NELAP	0.0010	0.0018	mg/L	1	01/06/2024 5:31	12/22/2023 12:00				
23122009-025A	43-A	NELAP	0.0010	0.0015	mg/L	1	01/06/2024 5:35	12/22/2023 12:00				
23122009-026A	43-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 17:34	12/22/2023 12:00				
23122009-027A	44-A	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 5:44	12/22/2023 12:00				
23122009-028A	44-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 5:48	12/22/2023 12:00				
23122009-029A	45-A	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 5:52	12/22/2023 12:00				
23122009-030A	45-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 6:01	12/22/2023 12:00				
23122009-031A	46-A	NELAP	0.0010	0.0305	mg/L	1	01/06/2024 5:57	12/22/2023 12:00				
23122009-032A	46-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 6:27	12/22/2023 12:00				
23122009-033A	47-A	NELAP	0.0010	0.0138	mg/L	1	01/06/2024 6:31	12/22/2023 12:00				
23122009-034A	47-B	NELAP	0.0010	0.0015	mg/L	1	01/06/2024 6:36	12/22/2023 12:00				
23122009-035A	48-A	NELAP	0.0010	0.0042	mg/L	1	01/06/2024 6:40	12/22/2023 12:00				
23122009-036A	48-B	NELAP	0.0010	0.0015	mg/L	1	01/06/2024 6:44	12/22/2023 12:00				
23122009-037A	49-A	NELAP	0.0010	0.0041	mg/L	1	01/06/2024 6:49	12/22/2023 12:00				
23122009-038A	49-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 6:53	12/22/2023 12:00				
23122009-039A		NELAP	0.0010	0.0068	mg/L	1	01/06/2024 7:24	12/22/2023 12:00				
23122009-040A	50-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 6:57	12/22/2023 12:00				
23122009-041A		NELAP	0.0010	0.0079	mg/L	1	01/06/2024 7:28	12/22/2023 12:00				
23122009-042A	51-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 7:32	12/22/2023 12:00				
23122009-043A		NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 7:37	12/22/2023 12:00				
23122009-044A	52-B	NELAP	0.0010	0.0022	mg/L	1	01/06/2024 7:41	12/22/2023 12:00				
23122009-045A		NELAP	0.0010	0.0015	mg/L	1	01/08/2024 17:38	12/22/2023 12:00				
23122009-046A	53-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 8:46	12/22/2023 12:00				
23122009-047A		NELAP	0.0010	0.0022	mg/L	1	01/08/2024 17:42	12/22/2023 12:00				
23122009-048A	54-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 7:50	12/22/2023 12:00				



Laboratory Results

http://www.teklabinc.com/

Client: Triangle Work Order: 23122009
Client Project: RPS-RTI Report Date: 11-Jan-24

Matrix: DRINKING WATER

Sample ID	Client Sample ID	Certification	Qual RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4	4, 200.8 R5.4, META	LS BY ICPMS (1	OTAL)					
Lead		·	·					
23122009-049	A 55-A	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 8:20	12/22/2023 12:00
23122009-050	A 55-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 17:45	12/22/2023 12:00
23122009-051	A 56-A	NELAP	0.0010	0.0018	mg/L	1	01/06/2024 8:24	12/22/2023 12:00
23122009-052	A 56-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 8:29	12/22/2023 12:00
23122009-053	A 57-A	NELAP	0.0010	0.0028	mg/L	1	01/06/2024 8:33	12/22/2023 12:00
23122009-054	A 57-B	NELAP	0.0010	< 0.0010	mg/L	1	01/06/2024 8:38	12/22/2023 12:00
23122009-055	A 58-A	NELAP	0.0010	0.0019	mg/L	1	01/06/2024 8:42	12/22/2023 12:00
23122009-056	A 58-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 19:57	12/22/2023 12:00
23122009-057	A 59-A	NELAP	0.0010	0.0017	mg/L	1	01/08/2024 20:02	12/22/2023 12:00
23122009-058	A 59-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 20:19	12/22/2023 12:00
23122009-059	A 60-A	NELAP	0.0010	0.0057	mg/L	1	01/08/2024 20:23	12/22/2023 12:00
23122009-060	A 60-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 20:49	12/22/2023 12:00
23122009-061	A 61-A	NELAP	0.0010	0.0058	mg/L	1	01/08/2024 20:28	12/22/2023 12:00
23122009-062	A 61-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 20:32	12/22/2023 12:00
23122009-063	A 62-A	NELAP	0.0010	0.0835	mg/L	5	01/05/2024 19:30	12/22/2023 12:00
23122009-064	A 62-B	NELAP	0.0010	0.0018	mg/L	1	01/08/2024 20:36	12/22/2023 12:00
23122009-065	A 63-A	NELAP	0.0010	0.0249	mg/L	5	01/05/2024 19:34	12/22/2023 12:00
23122009-066	A 63-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 20:41	12/22/2023 12:00
23122009-067	A 64-A	NELAP	0.0010	0.0125	mg/L	1	01/08/2024 20:45	12/22/2023 12:00
23122009-068	A 64-B	NELAP	0.0010	< 0.0010	mg/L	1	01/08/2024 21:15	12/22/2023 12:00



http://www.teklabinc.com/

Client: Triangle Work Order: 23122009

EPA 600 4.1.4, 200.8 R5.4, ME	TALS BY	ICPMS	(TOTAL)							
Batch 216716 SampType: SampID: MBLK-216716	MBLK	U	nits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/05/2024
Batch 216716 SampType: SampID: LCS-216716	LCS	U	nits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		0.0504	0.0500	0	100.7	85	115	01/05/2024
Batch 216716 SampType: SampID: 23122009-004AMS	MS	U	nits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010	E	0.105	0.1000	0.001095	103.8	70	130	01/08/2024
Batch 216716 SampType: SampID: 23122009-004AMSD	MSD	U	nits mg/L					RPD Lir	mit: 20	Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref V	al %RPD	Analyzed
Lead		0.0010	E	0.106	0.1000	0.001095	104.7	0.1049	0.81	01/08/202
Batch 216716 SampType: SampID: 23122009-012AMS	MS	U	nits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010	E	0.123	0.1000	0.001118	121.6	70	130	01/08/202
Batch 216716 SampType:	MSD	U	nits mg/L					RPD Lir	mit: 20	
SampID: 23122009-012AMSD						001/0 ///		555 5 ()		Date Analyzed
Analyses	Cert	RL	Qual -	Result	Spike	SPK Ref Val	%REC	RPD Ref V		·
Lead		0.0010	E	0.105	0.1000	0.001118	103.7	0.1227	15.70	01/08/202
Batch 216717 SampType: SampID: MBLK-216717	MBLK	U	nits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/05/202
Batch 216717 SampType: SampID: LCS-216717	LCS	U	nits mg/L							Date
Sampid. LCS-210717										
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed



http://www.teklabinc.com/

Client: Triangle Work Order: 23122009

Batch 216717 SampType: SampID: 23122009-020AMS	MS	L	Inits mg/L							Date
Analyses	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		0.0948	0.1000	0.0006110	94.2	70	130	01/08/202
Batch 216717 SampType:	MSD	L	Inits mg/L					RPD Lir	mit: 20	
SampID: 23122009-020AMSD						00//0 ///				Date Analyzed
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val		RPD Ref Va		-
Lead		0.0010		0.0839	0.1000	0.0006110	83.3	0.09478	12.14	01/08/202
Batch 216717 SampType: SampID: 23122009-030AMS	MS	L	Inits mg/L							Date
Analyses	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		0.0911	0.1000	0	91.1	70	130	01/06/202
Batch 216717 SampType: SampID: 23122009-030AMSD	MSD	L	Inits mg/L					RPD Lir	mit: 20	
Analyses	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	RPD Ref V	al %RPD	Date Analyzed
Lead	Cert	0.0010	E	0.101	0.1000	0	100.7	0.09111	9.97	01/06/202
Batch 216718 SampType:	MBLK	L	Inits mg/L							
SampID: MBLK-216718 Analyses	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead	Cort	0.0010	Quai	< 0.0010	0.0002	0	0	-100	100	01/05/202
Batch 216718 SampType: SampID: LCS-216718	LCS	L	Inits mg/L							Date
Analyses	Cert	RL	Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		0.0467	0.0500	0	93.4	85	115	01/05/202
		ı	Inits mg/L							Date
Batch 216718 SampType: SampID: 23122009-040AMS	MS									
SampID: 23122009-040AMS	MS Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
SampID: 23122009-040AMS Analyses			Qual	Result 0.0830	Spike 0.1000	SPK Ref Val 0.0006135	%REC 82.4	Low Limit 70	High Limit	Analyzed 01/06/202
SampID: 23122009-040AMS Analyses Lead Batch 216718 SampType:		RL 0.0010	Qual Units mg/L						130	
SampID: 23122009-040AMS Analyses Lead	Cert	RL 0.0010					82.4	70	130 mit: 20	



http://www.teklabinc.com/

Client: Triangle Work Order: 23122009

Analyses	Batch 216718 SampType: SampID: 23122009-050AMS	MS	ι	Inits mg/L							Data
Lead		Cert	RI.	Onal	Result	Snike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Date	·	CCIT		Quui						<u> </u>	01/08/202
Analyses		MSD	ι	Jnits mg/L					RPD Lin	nit: 20	
Cept No Cept							0DKD ()/ I	0/550	DDD D ()/		
Batch 216721 SampType: MBLK Units mg/L Spike SPK Ref Val %REC Low Limit High Limit Analyze Load 0.0010 0.00010 0.0002 0 0 0 0 0 0 0 0 0		Cert		Qual							,
Date	Lead		0.0010		0.0845	0.1000	0	84.5	0.08549	1.16	01/08/202
Lead		MBLK	L	Jnits mg/L							Date
Batch 216721 SampType: LCS Units mg/L SampID: LCS-216721 Date Analyses Cert RL Qual Result Spike SPK Ref Val %REC Low Limit High Limit Analyzes Lead 0.0010 0.0477 0.0500 0 95.4 85 115 01/05/2	Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Date	Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/05/202
Lead	SampID: LCS-216721			-	D	a "	CDK D-4 V-I	0/ DEC	1 1 iia	I limb I inch	Date Analyzed
Batch 216721 SampType: MS		Cert		Qual		•					
Date	Lead		0.0010		0.0477	0.0500	0	95.4	85	115	01/05/202
Lead		MS	L	Jnits mg/L							Date
Batch 216721 SampType: MSD Units mg/L RPD Limit: 20 SampID: 23122009-060AMSD Date Analyses Cert RL Qual Result Spike SPK Ref Val %REC RPD Ref Val %RPD RPD Ref Val %RPD Lead 0.0010 0.0904 0.1000 0.008224 89.6 0.08425 7.08 01/08/2 Batch 216721 SampType: MS Units mg/L Spike SPK Ref Val %REC Low Limit High Limit Date Analyses Cert RL Qual Result Spike SPK Ref Val %REC Low Limit High Limit Analyses Date Analyses Lead 0.0010 0.0805 0.1000 0.0005122 80.0 70 130 01/08/2 Batch 216721 SampType: MSD Units mg/L RPD Limit: 20 SampID: 23122010-001AMSD Date Analyses	Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Date	Lead		0.0010		0.0842	0.1000	0.0008224	83.4	70	130	01/08/202
Analyses Cert RL Qual Result Spike SPK Ref Val %REC RPD Ref Val %RPD Analyza Lead 0.0010 0.0904 0.1000 0.0008224 89.6 0.08425 7.08 01/08/3 Batch 216721 SampType: MS Units mg/L Units mg/L Units mg/L Spike SPK Ref Val %REC Low Limit High Limit Analyza Lead 0.0010 0.0805 0.1000 0.0005122 80.0 70 130 01/08/3 Batch 216721 SampType: MSD Units mg/L RPD Limit: 20 SampID: 23122010-001AMSD Date		MSD	ι	Jnits mg/L					RPD Lin	nit: 20	Date
Batch 216721 SampType: MS Units mg/L SampID: 23122010-001AMS Date Analyses Cert RL Qual Result Spike SPK Ref Val %REC Low Limit High Limit Date Analyzer Lead 0.0010 0.0805 0.1000 0.0005122 80.0 70 130 01/08/3 Batch 216721 SampType: MSD Units mg/L RPD Limit: 20 SampID: 23122010-001AMSD Date Analyzer	Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Va	al %RPD	Analyzed
Date Analyses Cert RL Qual Result Spike SPK Ref Val %REC Low Limit High Limit Analyzes Lead 0.0010 0.0805 0.1000 0.0005122 80.0 70 130 01/08/3	Lead		0.0010		0.0904	0.1000	0.0008224	89.6	0.08425	7.08	01/08/202
Lead 0.0010 0.0805 0.1000 0.0005122 80.0 70 130 01/08/2 Batch 216721 SampType: MSD Units mg/L RPD Limit: 20 SampID: 23122010-001AMSD		MS	L	Jnits mg/L							Date
Batch 216721 SampType: MSD Units mg/L RPD Limit: 20 SampID: 23122010-001AMSD Date						G '1	SDK Ref Val	%REC	Low Limit	High Limit	Analyzed
SampID: 23122010-001AMSD Date	SampID: 23122010-001AMS	Cert	RL	Qual	Result	Spike	Si K Kei vai	,	2011 2	r ngir Eirint	
Date	SampID: 23122010-001AMS Analyses	Cert		Qual							01/08/202
Analyses Cert RL Qual Result Spike SPK Ref Val %REC RPD Ref Val %RPD Analyz	SampID: 23122010-001AMS Analyses Lead Batch 216721 SampType:		0.0010						70	130	01/08/202
	SampID: 23122010-001AMS Analyses Lead Batch 216721 SampType:		0.0010				0.0005122	80.0	70	130	Date



http://www.teklabinc.com/

Client: Triangle Work Order: 23122009

EPA 600 4.1.4, 200.8 R5.4, M	ETALS BY	ICPMS	(TOTAL)							
Batch 216831 SampType: SampID: MBLK-216831	MBLK	ι	Jnits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/05/2024
Batch 216831 SampType: SampID: LCS-216831	LCS	l	Jnits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		0.497	0.5000	0	99.4	85	115	01/05/2024
Batch 216831 SampType: SampID: 23121869-069AMS	MS	l	Jnits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		0.484	0.5000	0.001288	96.6	70	130	01/05/2024
Batch 216831 SampType: SampID: 23121869-069AMSD	MSD	L	Jnits mg/L					RPD Lir	mit: 20	Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref V	al %RPD	Analyzed
Lead		0.0010		0.453	0.5000	0.001288	90.4	0.4845	6.68	01/05/202
Batch 216831 SampType: SampID: 23122019-019AMS	MS	L	Jnits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		0.480	0.5000	0.06922	82.2	70	130	01/05/202
Batch 216831 SampType:	MSD	l	Jnits mg/L					RPD Lir	mit: 20	
SampID: 23122019-019AMSD	C .	DI	0 1	D 1	G 11	SPK Ref Val	0/ DEC	RPD Ref V	al 0/ BBD	Date Analyzed
Analyses	Cert	RL	Qual	Result	Spike					Ť
Lead		0.0010	E	0.544	0.5000	0.06922	94.9	0.4802	12.41	01/05/202
Batch 216943 SampType: SampID: MBLK-216943	MBLK	ι	Jnits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead		0.0010		< 0.0010	0.0002	0	0	-100	100	01/08/202
Batch 216943 SampType: SampID: LCS-216943	LCS	L	Jnits mg/L							Date
Analyses	Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed



http://www.teklabinc.com/

Client: Triangle Work Order: 23122009

Batch 216943 SampTy	pe:	MS	U	nits mg/L							
SampID: 23121995-025AMS											Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			0.0010		0.407	0.5000	0.006768	80.1	70	130	01/10/2024
Batch 216943 SampTy	•	MSD	U	nits mg/L					RPD Lin	nit: 20	
SampID: 23121995-025AMSD	1										Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Va	al %RPD	Analyzed
Lead			0.0010		0.474	0.5000	0.006768	93.5	0.4073	15.17	01/10/2024
Batch 216943 SampTy	pe:	MS	U	nits mg/L							
SampID: 23121995-037AMS											Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			0.0010		0.481	0.5000	0.001885	95.8	70	130	01/10/2024
Batch 216943 SampTy	pe:	MSD	U	nits mg/L					RPD Lin	nit: 20	
SampID: 23121995-037AMSD	ı										Date
Analyses		Cert	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Va	al %RPD	Analyzed
Lead	·	•	0.0010	•	0.494	0.5000	0.001885	98.4	0.4811	2.60	01/10/2024



Receiving Check List

http://www.teklabinc.com/

Work Order: 23122009 Client: Triangle Client Project: RPS-RTI Report Date: 11-Jan-24 Carrier: John Cable Received By: LEH Completed by: Mary E. Kemp Reviewed by: On: On: 28-Dec-23 28-Dec-23 Mary E Kemp Ellie Hopkins Extra pages included 5 Pages to follow: Chain of custody Shipping container/cooler in good condition? **✓** No 🗔 Not Present Temp °C NA Type of thermal preservation? **~** Ice _ Blue Ice None Dry Ice Chain of custody present? **~** No 🗌 Yes Chain of custody signed when relinquished and received? **~** Yes No L **~** Chain of custody agrees with sample labels? No 🗀 Yes **~** No \square Samples in proper container/bottle? Yes **V** No 🗌 Sample containers intact? Yes Sufficient sample volume for indicated test? Yes **~** No **~** No \square All samples received within holding time? Yes NA 🗸 Field Lab 🗌 Reported field parameters measured: Yes 🗸 No 🗌 Container/Temp Blank temperature in compliance? When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected. No VOA vials ✓ Water - at least one vial per sample has zero headspace? Yes 🗌 No 🗀 No TOX containers Water - TOX containers have zero headspace? Yes No 🗌 Yes 🗹 No 🗌 Water - pH acceptable upon receipt? Yes NA 🗹 NPDES/CWA TCN interferences checked/treated in the field? No 🗀

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

Print PDF

CHAIN OF CUSTODY

Pg 1 of 1 Workorder # 23 12 1995 1212

TEKLAB INC, 5445 Horseshoe Lake Road, Collinsville, IL 62234 Phone (618) 344-1004 Fax (618) 344-1005

								1								4						
Client TRIANGLE E	NVIRONMENTAL SCIENC	E AND ENGIN	EERING		Sa	nple	S 0	n;	Γ-	ICE		П	BLU	EIC	Ε	ΧÌΝ	O IC	E	NA	_ °	c	
Address: PO BOX 1	026				Pre	ser	ved	in:	F	LAB		Ī	FEL	D		, ı		B US				
City/State/Zip: ROLL	A, MO 65402				LA	B NO	OTE	s :	<u> </u>	•												
Contact: JOHN CABI	LE	Phone: 573	308 0140																			
Email: TRIANGLE.	ENVIRONMENTAL	Fax: @GM	AIL.COM		Cli	ent	Cor	nme	ents										-		***************************************	
Are these samples known Are there any required rep limits in the comment sect	porting limits to be met on the retion:	es √ N equested analysi ✓ No	o s?. If yes, ple	ease provide																		
PROJECT NAME/NI	-	SAMPLE CO	LECTOR'S	S NAME	#	and	iТy	pe c	of Co	ntai	ner	3		NDI	CAT	EAN	ALY	SIS	REC	UES	TEC)
KPS-RTI	_	JOHN W CA	BLE			Ì						9	1									
RES	SULTS REQUESTED		BILLIN	G INSTRUCTIONS	_	ᅵᅟᅟ	z	扎.	. 2	2		١	7									
✓ Standard	1-2 Day (100% St	ırcharge)	TRIANGL		aNn	ᅙ	စီ		2 8	NaHSO4	1SP	₹	† t									
Other	3 Day (50% Surch	arge)				3	_	E 2	=	2		٦										
Lab Use Only	Sample ID	Date/Time	Bampled	Matrix																		
				Drinking Water												T		П	Т	П	Т	
				Drinking Water								T	Т					П	T		T	
				Drinking Water															T	\prod	T	
				Drinking Water																	T	
				Drinking Water									Т			T		П	Τ	П	T	
				Drinking Water															T	\prod	T	
				Drinking Water									十			1		广	\top	\sqcap	十	
				Drinking Water									十							\Box	\top	11
				Drinking Water									丁					П	1		\top	
				Drinking Water												工					土	
				Drinking Water																		
	Relinquished By		,	Date/Time						Rece	ivec	і Ву					厂			/Tim		
JOHN W CABLE	Mu W Call		12/27	23(0 1430)	2	A	-	24	<u> </u>								1/2	/z/	<u>1/2</u>	3	14	30
(/	/		///		<u> </u>			-									╀					
					-		·										+-					
					\vdash			\dagger								•••••	 					-
												_					سحط				-	

^{*}The individual signing this agreement on behalf of the client, acknowledges that he/she has read and understands the terms and conditions of this agreement, and that he/she has the authority to sign on behalf of the client. See www.teklabinc.com for terms and conditions

RTI

23121995 TE 23122009 12/28/2

24-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
25-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
25-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
26-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
26-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
27-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
27-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
28-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
28-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
29-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
29-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
30-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
30-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
31-A	DRINKING WATER	LEAD	12/22/23 @ 1200	23127000-001
31-B	DRINKING WATER	LEAD	12/22/23 @ 1200	204
32-A	DRINKING WATER	LEAD	12/22/23 @ 1200	003
32-B	DRINKING WATER	LEAD	12/22/23 @ 1200	400
33-A	DRINKING WATER	LEAD	12/22/23 @ 1200	005
33-B	DRINKING WATER	LEAD	12/22/23 @ 1200	000
34-A	DRINKING WATER	LEAD	12/22/23 @ 1200	007
34-B	DRINKING WATER	LEAD	12/22/23 @ 1200	00%
35-A	DRINKING WATER	LEAD	12/22/23 @ 1200	009
35-B	DRINKING WATER	LEAD	12/22/23 @ 1200	010
36-A	DRINKING WATER	LEAD	12/22/23 @ 1200	1 011
36-B	DRINKING WATER	LEAD	12/22/23 @ 1200	012
37-A	DRINKING WATER	LEAD	12/22/23 @ 1200	013
37-B	DRINKING WATER	LEAD	12/22/23 @ 1200	014
38-A	DRINKING WATER	LEAD	12/22/23 @ 1200	015
38-B	DRINKING WATER	LEAD	12/22/23 @ 1200	010
39-A	DRINKING WATER	LEAD	12/22/23 @ 1200	710
39-B	DRINKING WATER	LEAD	12/22/23 @ 1200	018
40-A	DRINKING WATER	LEAD	12/22/23 @ 1200	019
40-B	DRINKING WATER	LEAD	12/22/23 @ 1200	٥٥٥
41-A	DRINKING WATER	LEAD	12/22/23 @ 1200	184
41-B	DRINKING WATER	LEAD	12/22/23 @ 1200	560
42-A	DRINKING WATER	LEAD	12/22/23 @ 1200	023
42-B	DRINKING WATER	LEAD	12/22/23 @ 1200	oay
43-A	DRINKING WATER	LEAD	12/22/23 @ 1200	025
43-B	DRINKING WATER	LEAD	12/22/23 @ 1200	ollo
44-A	DRINKING WATER	LEAD	12/22/23 @ 1200	୍ର ପ
44-B	DRINKING WATER	LEAD	12/22/23 @ 1200	860
45-A	DRINKING WATER	LEAD	12/22/23 @ 1200) Dag
45-B	DRINKING WATER	LEAD	12/22/23 @ 1200	020
46-A	DRINKING WATER	LEAD	12/22/23 @ 1200	031
46-B	DRINKING WATER	LEAD	12/22/23 @ 1200	032
47-A	DRINKING WATER	LEAD	12/22/23 @ 1200	623
47-B	DRINKING WATER	LEAD	12/22/23 @ 1200	034

23121995 TE ME 23122009 1213

48-A	DRINKING WATER	LEAD	12/22/23 @ 1200 23122009-035	5
48-B	DRINKING WATER	LEAD	12/22/23 @ 1200	,
49-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
49-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
50-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
50-B	DRINKING WATER	LEAD	12/22/23 @ 1200 \ O4C	
51-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
51-B	DRINKING WATER	LEAD	12/22/23 @ 1200 \ 042	
52-A	DRINKING WATER	LEAD	12/22/23 @ 1200 043	
52-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
53-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
53-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
54-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
54-B	DRINKING WATER	LEAD	12/22/23 @ 1200 048	
55-A 55-A	DRINKING WATER	LEAD	12/22/23 @ 1200 OHG	
55-70 36-A	DRINKING WATER	LEAD	12/22/23 @ 1200 05	0
56-B	DRINKING WATER	LEAD	12/22/23 @ 1200 05	
57-A	DRINKING WATER	LEAD	12/22/23 @ 1200 05	
57-B	DRINKING WATER	LEAD	12/22/23 @ 1200	3
58-A	DRINKING WATER	LEAD	12/22/23 @ 1200 OS	4
58-B	DRINKING WATER	LEAD	12/22/23 @ 1200 059	
59-A	DRINKING WATER	LEAD	12/22/23 @ 1200 05	V
59-B	DRINKING WATER	LEAD	12/22/23 @ 1200 of	57
60-A	DRINKING WATER	LEAD	12/22/23 @ 1200	58
60-B	DRINKING WATER	LEAD	12/22/23 @ 1200 D	59
61-A	DRINKING WATER	LEAD	12/22/23 @ 1200	ωO
61-B	DRINKING WATER	LEAD	12/22/23 @ 1200	100
62-A	DRINKING WATER	LEAD	12/22/23 @ 1200	62
62-B	DRINKING WATER	LEAD	12/22/23 @ 1200	63
63-A	DRINKING WATER	LEAD		4
63-B	DRINKING WATER	LEAD	12/22/23 @ 1200	165
64-A	DRINKING WATER	LEAD	* *	Dylo
<u>64-B</u>	DRINKING WATER	LEAD	12/22/23 @ 1200	Tak
65-A	DRINKING WATER	LEAD)68
65-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
66-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
66-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
67-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
67-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
68-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
68-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
69-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
69-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
70-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
70-B	DRINKING WATER	LEAD	12/22/23 @ 1200	
71-A	DRINKING WATER	LEAD	12/22/23 @ 1200	
71-B	DRINKING WATER	LEAD	12/22/23 @ 1200	

72-A	DRINKING WATER	LEAD	12/22/23 @ 1200
72-B	DRINKING WATER	LEAD	12/22/23 @ 1200
73-A	DRINKING WATER	LEAD	12/22/23 @ 1200
73-B	DRINKING WATER	LEAD	12/22/23 @ 1200
74-A	DRINKING WATER	LEAD	12/22/23 @ 1200
74-B	DRINKING WATER	LEAD	12/22/23 @ 1200
75-A	DRINKING WATER	LEAD	12/22/23 @ 1200
75-B	DRINKING WATER	LEAD	12/22/23 @ 1200
76-A	DRINKING WATER	LEAD	12/22/23 @ 1200
76-B	DRINKING WATER	LEAD	12/22/23 @ 1200
77-A	DRINKING WATER	LEAD	12/22/23 @ 1200
77-B	DRINKING WATER	LEAD	12/22/23 @ 1200
78-A	DRINKING WATER	LEAD	12/22/23 @ 1200
78-B	DRINKING WATER	LEAD	12/22/23 @ 1200
79-A	DRINKING WATER	LEAD	12/22/23 @ 1200
79-B	DRINKING WATER	LEAD	12/22/23 @ 1200
80-A	DRINKING WATER	LEAD	12/22/23 @ 1200
80-B	DRINKING WATER	LEAD	12/22/23 @ 1200
81-A	DRINKING WATER	LEAD	12/22/23 @ 1200
_	DRINKING WATER	LEAD	12/22/23 @ 1200
81-B			12/22/23 @ 1200
82-A	DRINKING WATER	LEAD	• • •
82-B	DRINKING WATER	LEAD	12/22/23 @ 1200
83-A	DRINKING WATER	LEAD	12/22/23 @ 1200
83-B	DRINKING WATER	LEAD	12/22/23 @ 1200
84-A	DRINKING WATER	LEAD	12/22/23 @ 1200
84-B	DRINKING WATER	LEAD	12/22/23 @ 1200
85-A	DRINKING WATER	LEAD	12/22/23 @ 1200
85-B	DRINKING WATER	LEAD	12/22/23 @ 1200
86-A	DRINKING WATER	LEAD	12/22/23 @ 1200
86-B	DRINKING WATER	LEAD	12/22/23 @ 1200
87-A	DRINKING WATER	LEAD	12/22/23 @ 1200
87-B	DRINKING WATER	LEAD	12/22/23 @ 1200
88-A	DRINKING WATER	LEAD	12/22/23 @ 1200
88-B	DRINKING WATER	LEAD	12/22/23 @ 1200
89-A	DRINKING WATER	LEAD	12/22/23 @ 1200
89-B	DRINKING WATER	LEAD	12/22/23 @ 1200
90-A	DRINKING WATER	LEAD	12/22/23 @ 1200
90-B	DRINKING WATER	LEAD	12/22/23 @ 1200
91-A	DRINKING WATER	LEAD	12/22/23 @ 1200
91-B	DRINKING WATER	LEAD	12/22/23 @ 1200
92-A	DRINKING WATER	LEAD	12/22/23 @ 1200
92-B	DRINKING WATER	LEAD	12/22/23 @ 1200
93-A	DRINKING WATER	LEAD	12/22/23 @ 1200
93-B	DRINKING WATER	LEAD	12/22/23 @ 1200
94-A	DRINKING WATER	LEAD	12/22/23 @ 1200
94-B	DRINKING WATER	LEAD	12/22/23 @ 1200
95-A	DRINKING WATER	LEAD	12/22/23 @ 1200

95-B	DRINKING WATER	LEAD	12/22/23 @ 1200
96-A	DRINKING WATER	LEAD	12/22/23 @ 1200
96-B	DRINKING WATER	LEAD	12/22/23 @ 1200
97-A	DRINKING WATER	LEAD	12/22/23 @ 1200
97-B	DRINKING WATER	LEAD	12/22/23 @ 1200
98-A	DRINKING WATER	LEAD	12/22/23 @ 1200
98-B	DRINKING WATER	LEAD	12/22/23 @ 1200
99-A	DRINKING WATER	LEAD	12/22/23 @ 1200
99-B	DRINKING WATER	LEAD	12/22/23 @ 1200
100-A	DRINKING WATER	LEAD	12/22/23 @ 1200
100-B	DRINKING WATER	LEAD	12/22/23 @ 1200
101-A	DRINKING WATER	LEAD	12/22/23 @ 1200
101-B	DRINKING WATER	LEAD	12/22/23 @ 1200
102-A	DRINKING WATER	LEAD	12/22/23 @ 1200
102-В	DRINKING WATER	LEAD	12/22/23 @ 1200
103-A	DRINKING WATER	LEAD	12/22/23 @ 1200
103-B	DRINKING WATER	LEAD	12/22/23 @ 1200
104-A	DRINKING WATER	LEAD	12/22/23 @ 1200
104-B	DRINKING WATER	LEAD	12/22/23 @ 1200
105-A	DRINKING WATER	LEAD	12/22/23 @ 1200
105-B	DRINKING WATER	LEAD	12/22/23 @ 1200
106-A	DRINKING WATER	LEAD	12/22/23 @ 1200
106-B	DRINKING WATER	LEAD	12/22/23 @ 1200
107-A	DRINKING WATER	LEAD	12/22/23 @ 1200
107-B	DRINKING WATER	LEAD	12/22/23 @ 1200
108-A	DRINKING WATER	LEAD	12/22/23 @ 1200
108-B	DRINKING WATER	LEAD	12/22/23 @ 1200
109-A	DRINKING WATER	LEAD	12/22/23 @ 1200
109-B	DRINKING WATER	LEAD	12/22/23 @ 1200
110-A	DRINKING WATER	LEAD	12/22/23 @ 1200
110-B	DRINKING WATER	LEAD	12/22/23 @ 1200
111-A	DRINKING WATER	LEAD	12/22/23 @ 1200
111-B	DRINKING WATER	LEAD	12/22/23 @ 1200
112-A	DRINKING WATER	LEAD	12/22/23 @ 1200
112-B	DRINKING WATER	LEAD	12/22/23 @ 1200
113-A	DRINKING WATER	LEAD	12/22/23 @ 1200
113-B	DRINKING WATER	LEAD	12/22/23 @ 1200
114-A	DRINKING WATER	LEAD	12/22/23 @ 1200
114-B	DRINKING WATER	LEAD	12/22/23 @ 1200
115-A	DRINKING WATER	LEAD	12/22/23 @ 1200
115-B	DRINKING WATER	LEAD	12/22/23 @ 1200
116-A	DRINKING WATER	LEAD	12/22/23 @ 1200
116-B	DRINKING WATER	LEAD	12/22/23 @ 1200
117-A	DRINKING WATER	LEAD	12/22/23 @ 1200
117-B	DRINKING WATER	LEAD LEAD	12/22/23 @ 1200
118-A	DRINKING WATER DRINKING WATER		12/22/23 @ 1200
118-В	DUINNING MAIEK	LEAD	12/22/23 @ 1200

23121995 TE MEK 12/28/25

119-A	DRINKING WATER	LEAD	12/22/23 @ 1200
119-B	DRINKING WATER	LEAD	12/22/23 @ 1200
120-A	DRINKING WATER	LEAD	12/22/23 @ 1200
120-B	DRINKING WATER	LEAD	12/22/23 @ 1200
121-A	DRINKING WATER	LEAD	12/22/23 @ 1200
121-B	DRINKING WATER	LEAD	12/22/23 @ 1200
122-A	DRINKING WATER	LEAD	12/22/23 @ 1200
122-B	DRINKING WATER	LEAD	12/22/23 @ 1200
123-A	DRINKING WATER	LEAD	12/22/23 @ 1200
123-B	DRINKING WATER	LEAD	12/22/23 @ 1200
124-A	DRINKING WATER	LEAD	12/22/23 @ 1200
124-B	DRINKING WATER	LEAD	12/22/23 @ 1200
125-A	DRINKING WATER	LEAD	12/22/23 @ 1200
125-B	DRINKING WATER	LEAD	12/22/23 @ 1200